



Welcome!

If you are reading this, it's clear that water purity matters to you as much as it does to us — and we love that!

Every year, we proudly publish this water quality report on our website because we believe our customers deserve to know exactly what they're drinking. We're confident that DrinkMore Water is among the purest bottled waters in the world, and this report lets you see the proof for yourself.

Our FDA licensed facility is inspected on an ongoing basis by the Maryland Department of Health and we maintain the highest standards of quality in bottled water. We continuously test our water throughout the day, every day. We send samples daily to an independent third-party laboratory to test our water. On top of all that, we send another sample to another independent third party test our product for any impurities. Those results are listed in this document.

You will see in this report that DrinkMore Water is able to remove 99.5% of all impurities found in water. Our water is one of the purest waters on the planet - we hope you taste the “nothing” in every sip.

We hope to serve you soon.

A handwritten signature in black ink, appearing to read "Bob Perini".

BOB PERINI
Founder

A handwritten signature in black ink, appearing to read "Mike Flanagan".

MIKE FLANAGAN
President

Certificate of Compliance

This is to certify that

EDGE ANALYTICAL, Inc.,
An Accredited Drinking Water Laboratory,
Certification number 046, has completed the analysis of

DRINKMORE WATER/DRINKMORE DELIVERY INC
“Purified Water”

on December 13, 2024, according to the FDA testing requirements for bottled drinking water.
All parameters were found to be in compliance with 21 CFR 165 and 21 CFR 129
published limits for bottled drinking water.



A handwritten signature in blue ink that reads "Pat Miller".

Deputy QA Officer
24-29410



Burlington, WA Corporate Laboratory (a)
 1620 S Walnut St - Burlington, WA 98233 - 800.755.9295 • 360.757.1400
 Bellingham, WA Microbiology (b)
 805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR Microbiology/Chemistry (c)
 9725 SW Commerce Cr Ste A2 - Wilsonville, OR 97070 - 503.682.7802
 Corvallis, OR Microbiology/Chemistry (d)
 1100 NE Circle Blvd, Ste 130 - Corvallis, OR 97330 - 541.753.4946
 Bend, OR Microbiology (e)
 20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

BOTTLED WATER STANDARD OF QUALITY REPORT

Client Name: Drinkmore Water/Drinkmore Delivery Inc
 7595 Rickenbacker Drive
 Gaithersburg, MD 20879

Reference Number: **24-29410**

Authorized by:

Pat Miller
 Patrick Miller, MS
 Deputy QA Officer

Project: 50 State Product - Purified Water

Field ID: 50 State Product

Sample Description: Purified Water

Sampled By:

Sample Date: 10/02/2024

Lab Number: **56744**

Report Date: 12/13/2024

Sampled Comment: 5 G

Approved By: anp,bj,dcs,ebvp,ljh,ma,mc
 s,nml,pdm

Inorganic Chemicals (IOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
57-12-5	CYANIDE	ND	0.2	0.005	mg/L	OIA-1677-DW	a	
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	a	
7440-38-2	ARSENIC	ND	0.010	0.001	mg/L	200.8	a	
7440-39-3	BARIUM	ND	1.0	0.001	mg/L	200.8	a	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	a	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	a	
7440-47-3	CHROMIUM	ND	0.05	0.001	mg/L	200.8	a	
16984-48-8	FLUORIDE	ND	2	0.10	mg/L	300.0	a	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	a	
7439-97-6	MERCURY	ND	0.001	0.0002	mg/L	200.8	a	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	a	
14797-55-8	NITRATE-N	0.12	10	0.10	mg/L	300.0	a	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	a	
E-10128	TOTAL NITRATE+NITRITE as N	0.12	10	0.10	mg/L	300.0	a	
7782-49-2	SELENIUM	ND	0.010	0.005	mg/L	200.8	a	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

If you have any questions concerning this report contact us at the above phone number.

BOTTLED WATER STANDARD OF QUALITY REPORT

Secondary Inorganic Parameters

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	a	
16887-00-6	CHLORIDE	1.7	250	0.1	mg/L	300.0	a	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	a	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	a	
7439-96-5	MANGANESE	ND	0.05	0.001	mg/L	200.8	a	
7440-22-4	SILVER	ND	0.025	0.001	mg/L	200.8	a	
14808-79-8	SULFATE	0.6	250	10	mg/L	300.0	a	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	10	500	10	mg/L	SM2540 C	a	
7440-66-6	ZINC	ND	5.00	0.005	mg/L	200.8	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Volatile Organic Chemicals (VOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
75-35-4	1,1 - DICHLOROETHYLENE	ND	2	0.5	ug/L	524.2	a	
71-55-6	1,1,1 - TRICHLOROETHANE	ND	30	0.5	ug/L	524.2	a	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	5	0.5	ug/L	524.2	a	
107-06-2	1,2 - DICHLOROETHANE	ND	2	0.5	ug/L	524.2	a	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.5	ug/L	524.2	a	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	9	0.5	ug/L	524.2	a	
71-43-2	BENZENE	ND	1	0.5	ug/L	524.2	a	
56-23-5	CARBON TETRACHLORIDE	ND	2	0.5	ug/L	524.2	a	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.5	ug/L	524.2	a	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.5	ug/L	524.2	a	
100-41-4	ETHYLBENZENE	ND	700	0.5	ug/L	524.2	a	
75-09-2	DICHLOROMETHANE	ND	3	0.5	ug/L	524.2	a	
108-90-7	MONOCHLOROBENZENE	ND	50	0.5	ug/L	524.2	a	
95-50-1	O - DICHLOROBENZENE	ND	600	0.5	ug/L	524.2	a	
106-46-7	P - DICHLOROBENZENE	ND	75	0.5	ug/L	524.2	a	
100-42-5	STYRENE	ND	100	0.5	ug/L	524.2	a	
127-18-4	TETRACHLOROETHYLENE	ND	1	0.5	ug/L	524.2	a	
108-88-3	TOLUENE	ND	1000	0.5	ug/L	524.2	a	
79-01-6	TRICHLOROETHYLENE	ND	1	0.5	ug/L	524.2	a	
75-01-4	VINYL CHLORIDE	ND	2	0.5	ug/L	524.2	a	
1330-20-7	XYLENES (TOTAL)	ND	1000	0.5	ug/L	524.2	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Synthetic Organic Chemicals (SOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
94-75-7	2,4 - D	ND	70	0.1	ug/L	515.4	a	
93-72-1	2,4,5 - TP (SILVEX)	ND	10	0.2	ug/L	515.4	a	
16655-82-6	3-HYDROXYCARBOFURAN	ND		1.0	ug/L	531.2	a	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	a	
116-06-3	ALDICARB	ND		1.0	ug/L	531.2	a	
1646-88-4	ALDICARB SULFONE	ND		1.6	ug/L	531.2	a	
1646-87-3	ALDICARB SULFOXIDE	ND		1.0	ug/L	531.2	a	
309-00-2	ALDRIN	ND		0.1	ug/L	525.2	a	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	a	
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	a	
23184-66-9	BUTACHLOR	ND		0.1	ug/L	525.2	a	
63-25-2	CARBARYL	ND		1.0	ug/L	531.2	a	
1563-66-2	CARBOFURAN	ND	40	0.9	ug/L	531.2	a	
57-74-9	CHLORDANE	ND	0.5	0.2	ug/L	508.1	a	
75-99-0	DALAPON	ND	200	1	ug/L	515.4	a	
103-23-1	DI(2-ETHYLHEXYL)-ADIPATE	ND	400	0.6	ug/L	525.2	a	
117-81-7	DI(2-ETHYLHEXYL)-PHTHALATE	ND	6	0.6	ug/L	525.2	a	
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	ND	0.2	0.02	ug/L	504.1	a	
1918-00-9	DICAMBA	ND		0.2	ug/L	515.4	a	
60-57-1	DIELDRIN	ND		0.1	ug/L	525.2	a	
88-85-7	DINOSEB	ND	7	0.2	ug/L	515.4	a	
1746-01-6	DIOXIN (2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN)	ND	30	5	pg/L	1613		Analyzed by PACE_MN
85-00-7	DIQUAT	ND	20	0.4	ug/L	549.2	a	
145-73-3	ENDOTHALL	ND	100	9	ug/L	548.1	a	
72-20-8	ENDRIN	ND	0.2	0.01	ug/L	525.2	a	
106-93-4	1,2 - DIBROMOETHANE (EDB)	ND	0.05	0.02	ug/L	504.1	a	
96-18-4	1,2,3 - TRICHLOROPROPANE	ND	0.03	0.02	ug/L	504.1	a	
1071-83-6	GLYPHOSATE	ND	700	6	ug/L	547	a	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	a	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.02	ug/L	525.2	a	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	a	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L	525.2	a	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	a	
16752-77-5	METHOMYL	ND		1.0	ug/L	531.2	a	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	a	
51218-45-2	METOLACHLOR	ND		0.1	ug/L	525.2	a	
21087-64-9	METRIBUZIN	ND		0.1	ug/L	525.2	a	
23135-22-0	OXAMYL (VYDATE)	ND	200	2	ug/L	531.2	a	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	515.4	a	
1918-02-1	PICLORAM	ND	500	0.1	ug/L	515.4	a	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCBs)	ND	0.5	0.5	ug/L	508.1	a	
1918-16-7	PROPACHLOR	ND		0.1	ug/L	525.2	a	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	a	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	508.1	a	
E-10253	TOTAL PHENOLIC COMPOUNDS	ND	1	1	ug/L	420.4	a	Analyzed by Eurofins Pom CA

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Perfluorinated Compounds

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
763051-92-9	11-CHLOROEICOSAFLUORO-3-OXAUNDECANE-1-SULFONATE	ND		2.0	ng/L	537.1		Analyzed by Pace - FL
13252-13-6	HEXAFLUOROPROPYLENE OXIDE DIMER (HFPO-DA/GENX)	ND		2.0	ng/L	537.1		
919005-14-4	4,8-DIOXA-3H-PERFLUORONONANOIC ACID (DONA, ADONA)	ND		2.0	ng/L	537.1		
756426-58-1	9-CHLOROHEXADECAFLUORO-3-OXANONANE-1-SULFONIC ACID (F-53B MAJOR)	ND		2.0	ng/L	537.1		
2991-50-6	N-ETHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (NETFOSAA)	ND		2.0	ng/L	537.1		
2355-31-9	N-METHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (NMEFOSAA)	ND		2.0	ng/L	537.1		
375-73-5	PERFLUOROBUTANESULFONIC ACID (PFBS)	ND		2.0	ng/L	537.1		
335-76-2	PERFLUORODECANOIC ACID (PFDA)	ND		2.0	ng/L	537.1		
307-55-1	PERFLUORODODECANOIC ACID (PFDOA)	ND		2.0	ng/L	537.1		
375-85-9	PERFLUOROHEPTANOIC ACID (PFHPA)	ND		2.0	ng/L	537.1		
355-46-4	PERFLUOROHEXANESULFONIC ACID (PFHXS)	ND		2.0	ng/L	537.1		
307-24-4	PERFLUOROHEXANOIC ACID (PFHXA)	ND		2.0	ng/L	537.1		
375-95-1	PERFLUORONONANOIC ACID (PFNA)	ND		2.0	ng/L	537.1		
1763-23-1	PERFLUOROOCTANESULFONIC ACID (PFOS)	ND		2.0	ng/L	537.1		
335-67-1	PERFLUOROOCTANOIC ACID (PFOA)	ND		2.0	ng/L	537.1		
376-06-7	PERFLUOROTETRADECANOIC ACID (PFTA)	ND		2.0	ng/L	537.1		
72629-94-8	PERFLUOROTRIDECANOIC ACID (PFTRDA)	ND		2.0	ng/L	537.1		
2058-94-8	PERFLUOROUNDECANOIC ACID (PFUnA)	ND		2.0	ng/L	537.1		

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Water Properties

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
1332-21-4	ASBESTOS	ND	7		MFL>10um	100.2		Analyzed by EMSL
E-10139	HYDROGEN ION (pH)	6.92			pH Units	150.1	a	Temp (C) : 21.1
NA	TASTE	ND		1	FTN	SM2160 B	a	
NA	MBAS (Surfactants)	ND		0.10	mg/L	SM5540 C	a	Analyzed By Eurofins Pom CA
E-11712	COLOR	ND	15	5	COLOR UNIT	SM2120 B	a	pH:7
E-11734	ODOR	ND	3	1	TON	SM2150	a	Temperature: 39.3 C
E-10617	TURBIDITY	0.10	1	0.10	NTU	180.1	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Radiological Contaminants

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
12587-46-1	GROSS ALPHA	ND	15	0	pCi/L	900.0		Analyzed by PacePA
12587-47-2	GROSS BETA	ND	50	0	pCi/L	900.0		
13982-63-3	RADIUM 226	ND			pCi/L	903.1		
15262-20-1	RADIUM 228	ND	5		pCi/L	904.0		
7440-61-1	URANIUM	ND	0.030	0.001	mg/L	200.8	a	
14859-67-7	RADON	ND			pCi/L	SM7500-Rn B		Analyzed by Pace-PA

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Additional Volatile Organic Chemicals (New York)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
542-75-6	1,3-DICHLOROPROPYLENE, TOTAL	ND		0.5	ug/L	524.2	a	
75-34-3	1,1 - DICHLOROETHANE	ND		0.5	ug/L	524.2	a	
563-58-6	1,1 - DICHLOROPROPENE	ND		0.5	ug/L	524.2	a	
630-20-6	1,1,1,2 - TETRACHLOROETHANE	ND		0.5	ug/L	524.2	a	
79-34-5	1,1,2,2 - TETRACHLOROETHANE	ND		0.5	ug/L	524.2	a	
87-61-6	1,2,3 - TRICHLOROBENZENE	ND		0.5	ug/L	524.2	a	
96-18-4	1,2,3 - TRICHLOROPROPANE	ND		0.5	ug/L	524.2	a	
95-63-6	1,2,4 - TRIMETHYLBENZENE	ND	21	0.5	ug/L	524.2	a	
142-28-9	1,3 - DICHLOROPROPANE	ND		0.5	ug/L	524.2	a	
108-67-8	1,3,5 - TRIMETHYLBENZENE	ND		0.5	ug/L	524.2	a	
594-20-7	2,2 - DICHLOROPROPANE	ND		0.5	ug/L	524.2	a	
108-86-1	BROMOBENZENE	ND		0.5	ug/L	524.2	a	
74-97-5	BROMOCHLOROMETHANE	ND		0.5	ug/L	524.2	a	
74-83-9	BROMOMETHANE	ND		0.5	ug/L	524.2	a	
75-00-3	CHLOROETHANE	ND		0.5	ug/L	524.2	a	
74-87-3	CHLOROMETHANE	ND		0.5	ug/L	524.2	a	
10061-01-5	CIS - 1,3 - DICHLOROPROPENE	ND		0.5	ug/L	524.2	a	
74-95-3	DIBROMOMETHANE	ND		0.5	ug/L	524.2	a	
75-71-8	DICHLORODIFLUOROMETHANE	ND		0.5	ug/L	524.2	a	
87-68-3	HEXACHLOROBUTADIENE	ND		0.5	ug/L	524.2	a	
98-82-8	ISOPROPYLBENZENE	ND		0.5	ug/L	524.2	a	
541-73-1	M - DICHLOROBENZENE	ND		0.5	ug/L	524.2	a	
179601-23-1	M/P - XYLENE	ND		0.5	ug/L	524.2	a	
1634-04-4	METHYL TERT-BUTYL ETHER	ND		0.5	ug/L	524.2	a	
104-51-8	N - BUTYLBENZENE	ND		0.5	ug/L	524.2	a	
103-65-1	N - PROPYLBENZENE	ND		0.5	ug/L	524.2	a	
91-20-3	NAPHTHALENE	ND	14	0.5	ug/L	524.2	a	
95-49-8	O - CHLOROTOLUENE	ND		0.5	ug/L	524.2	a	
106-43-4	P - CHLOROTOLUENE	ND		0.5	ug/L	524.2	a	
95-47-6	O - XYLENE	ND		0.5	ug/L	524.2	a	
99-87-6	P - ISOPROPYLTOLUENE	ND		0.5	ug/L	524.2	a	
135-98-8	SEC - BUTYLBENZENE	ND		0.5	ug/L	524.2	a	
98-06-6	TERT - BUTYLBENZENE	ND		0.5	ug/L	524.2	a	
10061-02-6	TRANS- 1,3 - DICHLOROPROPENE	ND		0.5	ug/L	524.2	a	
75-69-4	TRICHLOROFLUOROMETHANE	ND		0.5	ug/L	524.2	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT

Additional Inorganic Chemicals (New York)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
E-11778	HARDNESS	ND		10	mg CaCO3/L	200.7	a	
E-14506	ALKALINITY	4.1		1	mg CaCO3/L	SM2320 B	a	
NA	CORROSIVITY	-4.47			SI	SM203	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
 MRL - Method Reporting Limit .

BOTTLED WATER STANDARD OF QUALITY REPORT**Inorganic Chemicals (Massachusetts)**

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
1497-73-0	PERCHLORATE	ND	2	0.50	ug/L	331.0	a	Analyzed by Eurofins Pom CA

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.
MRL - Method Reporting Limit .



Burlington, WA *Corporate Laboratory (a)*
 1620 S Walnut St - Burlington, WA 98233 - 800.755.9295 • 360.757.1400
 Bellingham, WA *Microbiology (b)*
 805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR *Microbiology/Chemistry (c)*
 9725 SW Commerce Cr Ste A2 - Wilsonville, OR 97070 - 503.682.7802
 Corvallis, OR *Microbiology/Chemistry (d)*
 1100 NE Circle Blvd, Ste 130 - Corvallis, OR 97330 - 541.753.4946
 Bend, OR *Microbiology (e)*
 20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

Data Report

Client Name: Drinkmore Water/Drinkmore Delivery Inc
 7595 Rickenbacker Drive
 Gaithersburg, MD 20879

Reference Number: **24-29410**
 Project: 50 State Product - Purified Water

Report Date: 12/13/24

Date Received: 9/30/24

Approved by: anp,bj

Authorized by:

Patrick Miller, MS
 Deputy QA Officer

Sample Description: 50 State Product Purified Water								Matrix BP	Sample Date: 10/2/24 10:40 am			
Lab Number: 56744		Sample Comment: 5 G						Collected By:				
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Lab	Analyzed	Analyst	Batch	Comment
7440-42-8	BORON	ND	0.050	0.006	mg/L	1.0	200.7	a	10/8/24	BJ	200.7_241008A5	
7440-70-2	CALCIUM	0.5	0.5	0.006	mg/L	1.0	200.7	a	10/8/24	BJ	200.7_241008A5	
7439-95-4	MAGNESIUM	ND	0.5	0.001	mg/L	1.0	200.7	a	10/8/24	BJ	200.7_241008A5	
7440-23-5	SODIUM	2.6	0.5	0.3	mg/L	1.0	200.7	a	10/8/24	BJ	200.7_241008A5	
7440-09-7	POTASSIUM	ND	1.0	0.06	mg/L	1.0	200.7	a	10/8/24	BJ	200.7_241008A5	
24959-67-9	BROMIDE	ND	0.005	0.00019	mg/L	1.0	300.1	a	10/8/24	TJL	300.1_241007A	
E-10184	ELECTRICAL CONDUCTIVITY	15.9	10		uS/cm	1.0	SM2510 B	a	10/3/24	CJK2	EC_241003R	
	TOTAL COLIFORM For Taste Test	ABSENT	P/A		per 100mL	1.0	SM9223 B/Colilert-18	a	10/3/24	SPM2	M_241002BUR	

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
 PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
 D.F. - Dilution Factor

If you have any questions concerning this report contact us at the above phone number.

February 20, 2025

Page 1 of 1

Sarah Kinnunen
Drinkmore Water/Drinkmore Delivery Inc
7595 Rickenbacker Drive
Gaithersburg, MD 20879

RE: 25-02992 - 50 State Product RS THM

Dear Sarah Kinnunen,

Your project: 50 State Product RS THM, was received on Thursday January 30, 2025.

All samples were analyzed within the accepted holding times and were appropriately preserved and analyzed according to approved analytical protocols, unless noted in the data or QC reports. The quality control data was within laboratory acceptance limits, unless specified in the data or QC reports.

If you have questions phone us at 800 755-9295.

Respectfully



Lawrence J Henderson, PhD
Director of Laboratories, Vice President

Enclosures: Data Report
QC Reports
Chain of Custody



**Environment Testing
Edge Analytical**

Burlington, WA (a)
1620 S Walnut St - Burlington, WA 98233 - 800.755.9295 • 360.757.1400

Bellingham, WA Microbiology (b)
805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR Microbiology/Chemistry (c)
9725 SW Commerce Cr Ste A2 - Wilsonville, OR 97070 - 503.682.7802

Corvallis, OR Microbiology/Chemistry (d)
1100 NE Circle Blvd, Ste 130 - Corvallis, OR 97330 - 541.753.4946

Bend, OR Microbiology (e)
20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

OR NELAP 4072
Page 1 of 1

DISINFECTION BY-PRODUCT COMPOUNDS REPORT

Client Name: Drinkmore Water/Drinkmore Delivery Inc
7595 Rickenbacker Drive
Gaithersburg, MD 20879

Reference Number: 25-02992
Project: 50 State Product RS THM

Date Collected: 2/4/25 10:30
System ID Number:
Lab Number: 046-06170
Sample Location: Purified Water
Sample Purpose: Investigative or Other
Sample Composition:
Approved By: pdm
Authorized By:


Lawrence J Henderson, PhD
Director of Laboratories, Vice President

Field ID: 50 State Product RS THM
System Group Type:
System Name:
County:
Source Number:
Multiple Sources:
Date Received: 1/30/2025 11:26:00AM
Date Analyzed: 02/14/25
Date Reported: 2/20/25
Sample Type:
Sample Collected By:
Sampler Phone:

DOH#	COMPOUNDS	RESULTS	UNITS	SRL	Trigger	MCL	Method	Analyst	Lab	Batch	Comment
	EPA Regulated - Under Trihalomethanes Program										
27	CHLOROFORM	ND	ug/L	0.5			524.2	NML	A	THM_250214	
28	BROMODICHLOROMETHANE	ND	ug/L	0.5			524.2	NML	A	THM_250214	
29	CHLORODIBROMOMETHANE	ND	ug/L	0.5			524.2	NML	A	THM_250214	
30	BROMOFORM	ND	ug/L	0.5			524.2	NML	A	THM_250214	
31	TOTAL TRIHALOMETHANE	ND	ug/L		60	80	524.2	NML	A	THM_250214	

NOTES:

If a compound is detected > or = to the State Reporting Level, SRL, specified increased monitoring frequencies may occur per DOH.
MCL (Maximum Contaminant Level) maximum permissible level of a contaminant in water established by EPA; Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper. Sodium has a recommended limit of 20 mg/L. A blank MCL value indicates a level is not currently established.
Trigger Level: DOH Drinking Water Response level. Systems with compounds detected in excess of this level are required to take additional samples. Contact your regional DOH office.
ND (Not Detected): indicates that the parameter was not detected above the State Reporting Limit (SRL).

Lab - Indicates where parameter was analyzed. See header address for lab code.

If you have any questions concerning this report contact Lawrence J Henderson, PhD, Director of Laboratories, Vice President, at the toll-free phone number above.
FORM: cODBP.rpt